

Fixed Laboratory Centrifuge Machine Medifuge 4x100ml 21000rpm

Basic Information

- Place of Origin:
- Brand Name:
- CE,ISO13485,ISO9001,SFDA • Certification:

1

CHINA

TG20-WS

100 set/month

MKE

- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



- L/C,D/A,D/P,T/T,Western Union,MoneyGram
- 1600.

Product Specification

| Applications: | Hospitals, Veterinary Clinics, Food Labs, Universities & Colleges, Pharmaceutical Labs, Cell Culture Labs, Infant Stations |
|------------------------------------|---|
| MaxSpeed: | 21000rpm |
| • MaxRCF: | 31061xg |
| MaxCapacity: | 4*100ml |
| Noise Level: | ≤58dB |
| MatchedRotors: | Fixed Angle Rotors |
| Display: | LCD Display |
| • Warranty: | 1 Year Warranty For The Whole Machine, 3 Years Warranty For The Compressor And 5 Years Warranty For The Motor. Free Replacement Parts And Shipping Within Warranty. |
| Highlight: | Fixed laboratory centrifuge machine, |




More Images





21000rpm laboratory centrifuge machine,

Fixed medifuge centrifuge



Description

The high-speed centrifuge TG20-WS is a versatile solution equipped with a variety of fixed-angle rotors. This all-purpose centrifuge is designed to accommodate PCR tubes, test tubes, and round-bottom tubes, offering exceptional capacity with a 4 x 100 ml fixed-angle rotor configuration. With its extensive selection of rotors and accessories, along with impressive RCF values reaching up to $31,061 \times g$, it is well-suited for a diverse range of applications.



Technical Specifications:


| Speed range(rpm) | 0-21000rpm adjustable | Speed accuracy | ±10rpm |
|---------------------------|--------------------------|-------------------------------------|-------------------------------|
| Max Capacity(ml) | 4*100ml | | 0-31061xg adjustable |
| Display | LCD | li ime rande | 1-99minutes 59s adjustable |
| Noise(dBA) | ≦58dB(A) | Acceleration /Deceleration rates | 1 10 |
| Dimension(mm) | 470x345x295mm | | Frequency Converter motor |
| Net weight(without rotor) | 30KGS | Power supply | AC220V,50HZ,10A,6 00W |



Matched Rotors(Customized rotors are available)

| No. | Rotor | Capacity | Max.speed | Max. RCF | Note |
|--------------|-------------|--------------|------------|----------|---------------------------------|
| NO.1 | Angle Rotor | 12×1.5-2.2ml | 21000r/min | 31061xg | PP/PC tube |
| | Adapter | 12×0.5ml | | | PP/PC tube |
| | Adapter | 12×0.2ml | | | PP/PC tube |
| NO.2 | | 12×5ml | | 19480xg | PP/PC |
| (e) | Angle Rotor | | 16500r/min | | tube(round |
| | | | | | bottom) |
| | Adapter | 12×1.5ml | | | PP/PC tube |
| | | 12×10ml | | 21130xg | PP/PC |
| NO.3 | Angle Rotor | | | | tube(round |
| | | | 15000r/min | | bottom) |
| | Adapter | 12×5ml | | | PP/PC tube |
| | Adapter | 12×1.5ml | | | PP/PC tube |
| NO.4 | Angle Rotor | 24×1.5-2.2ml | 16000r/min | 24041xg | PP/PC tube |
| | Adapter | 24×0.5ml | | | PP/PC tube |
| | Adapter | 24×0.2ml | | | PP/PC tube |
| N0.5 | Angle Rotor | 48×1.5-2.2ml | 14000r/min | 20379xg | PP/PC tube |
| | Adapter | 48×0.5ml | | | PP/PC tube |
| | Adapter | 48×0.2ml | | | PP/PC tube |
| NO.6 | Angle Rotor | 12×8×0.2ml | 12000r/min | 16985xg | PCR 8-tube strips |
| NO.7 | Angle Rotor | 10×15ml | 13000r/min | 19650xg | PP/PC tube(pointy bottom) |
| | Adapter | 10×5ml | | | PP/PC tube |
| | Adapter | 10×1.5ml | | | PP/PC tube |

| NO.8 | Angle Rotor Adapter Adapter Adapter | 6×50ml 6×15ml 6×10ml 6×1.5ml | -13000r/min | 18327xg | PP/PC tube(round/point y bottom) PP/PC tube PP/PC tube PP/PC tube |
|------|--|---------------------------------------|-------------|---------|--|
| | Adapter | | | | PP/PC lube |
| NO.9 | Angle Rotor | 4×10/100ml | 11000r/min | 13284xg | tube(round bottom) |
| | Adapter | 4×50ml | | | PP/PC tube |
| | Adapter | 4×15ml | | | PP/PC tube |
| | Adapter | 4×10ml | | | PP/PC tube |
| | Adapter | 4×5ml | | | PP/PC tube |
| | Adapter | 4×1.5ml | | | PP/PC tube |



Feature

1.Compact and space-saving centrifuge

2.TG20-WS use A.C. Frequency conversion motor direct drive, high precision, low noise, long service life

3. Microcomputer control, color break code LED screen display, program can be programmed and stored, speed, centrifugal force, time can be displayed at the same time.

4.3 levels damping for anti vibration. Programmable and storable, stores up to 30 programs and provides direct user access with one keystroke save. The stored parameter: combination remains in the memory even after the centrifugation has been switched off.

5.TG20-WS Provides the 10 acceleration rates and 10 braking ramp, to effectively avoid secondary sedimentation, with better centrifugation effect.

6. Automatic lid-locking and holding during rotor run

7. Automatic rotor identification system, coded rotor identification prevents the rotor from over speeding.

8. Easily exchangeable rotors, special rotor connector which makes it easy to load and unload rotor.

9. Automatic troubleshooting with indication of error code and alarm on the screen.

10.Research Use 20000 rpm Centrifuge Machine TG20-WS features "Mute" patent technology. Noise level lower than 58 decibel at the highest rotational speed (patent no. ZL201721835868.9).

11.Speed up to 21000rpm depends on rotor type

12. With over-speed, over-temperature, electronic safety door lock and other multi-level protection functions to ensure the safety of man and machine.

WHY CHOOSE US

- Direct from the Manufacturer: Enjoy competitive pricing on all our products.
- Certified Excellence: Experience premium quality with our CE and ISO certified products.
- Customization at Its Best: Benefit from our robust OEM and ODM capabilities tailored to your specific needs.
- Reliable Production and Delivery: Trust us for guaranteed on-time production and delivery of your orders.
- **Comprehensive Support:** Rely on our comprehensive after-sales service, including complimentary product accessories.
- Expertise You Can Trust: We stand behind our 15 years of experience in R&D and production of medical centrifuge machines.



Our Factory Introduction

We have a standardized production workshop operated by a dedicated team that ensures quality in every laboratory centrifuge and lab equipment we produce. Our R&D division includes design engineers, technology specialists, qualified experts, and process control managers. Following a strict quality control system, our specialists oversee the entire production process, from design and R&D to testing, production, quality inspection, and packaging.

- Specialize in centrifuges.
- With decades of experience, we've exported to 80+ countries.
- Proven Reputation: SGS and Intertek inspected, underlining our reliablity.

• Manufacturing Capabilities: 6 floors, 3000 sqm each, dedicated to manufacturing and quality control.



MKE Exhibition




Packaging & Delivery

MKE centrifuges are securely packaged in wooden cases or carton boxes, selected according to the weight and size of the goods. This ensures they are delivered in excellent condition to customers worldwide.



After-Sale WARRANTY



<u>FAQ</u>

Q: How long is the production lead time?

A: Within 7-15 workdays after receiving deposit.

Q: What's your warranty?

A: All MKE products have ONE year warranty, five-year motor warranty. We won't charge clients any money for repairing the machine during one-year warranty time, the freight is also on us.

Q: How about the sample of MKE Centrifuge?

A: We could send you the samples but the freightand the sample are charged.

Q: Which kinds of Certificate would you have?

A: ISO9001, ISO13485, CE

Q: Do you offer centrifuges with voltage and plug options suitable for my country/region?

A: Yes, we provide centrifuges with various voltage and plug options to meet different country/region requirements. Please let us know your specific needs, and we will ensure compatibility.

Q: Are there customized options available for specific applications?

A: Absolutely! We offer customization options to meet specific application needs. Let us know your requirements, and we will tailor the centrifuge accordingly.

