

Benchtop High Speed Hematocrit Centrifuge 75mm Capillary Rotor

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: MKE
- Certification: CE, ISO, IUUV
- Model Number: TG16W



Product Specification

- Product Type: Hematocrit Capillary Centrifuge
- Weight: 15kg
- Speed Accuracy: ± 10 rpm
- Power Supply: AC 110V/220V, 50Hz/60Hz
- Machine Noise: <58dB(A)
- Capacity: 10*5ml
- Speed: 0-16500rpm Adjustable
- Max Rcf: 19480xg
- Highlight: Benchtop High Speed Hematocrit Centrifuge, 75mm Capillary Rotor Hematocrit Centrifuge, High Speed Hematocrit Centrifuge




More Images



for more products please visit us on mkecentrifuge.com

Product Description

	16500 rpm	19480 xg	10x5 ml	≤55 dB(A)
	Maximum Speed	Maximum RCF	Maximum Capacity	Noise Level(dBA)

Tech Specs

Speed range(rpm)	0-16500rpm adjustable	Time range	1-99minutes 59s adjustable
Max Capacity(ml)	10*5ml	Speed accuracy	±10r/min
RCF range (xg)	0-19480xg adjustable	Dimension(mm)	340*260*220mm
Noise(dBA)	≤55dB(A)	Net weight(without rotor)	15KGS
ACC/DEC	1-10 rates	Power supply	AC220V,50HZ,10A, 200W

Matched Rotors

No.	Item	Capacity	Max. speed	Max.RCF	Note
NO.1	Angle rotor	12×1.5/2.2ml	16500r/min	19175xg	PP/PC tube
	Adapter	12×0.5ml			PP/PC tube
	Adapter	12×0.2ml			PP/PC tube
NO.2	Angle rotor	10×5ml	16500r/min	19480xg	PP/PC tube
	Adapter	10×1.5ml			PP/PC tube
NO.3	Capillary rotor	24 pieces	12000r/min	13684xg	Capillary tube

Features

Compact and space-saving High-Speed centrifuge

Speed range up to 16500 r/min, Max.RCF: 19480xg, Max.capacity: 10*5ml

Microprocessor control with frequency conversion A.C. motor drive

High-Speed Centrifuge Machine TG16W Features Quiet technology, recognized with a "low noise" patent certificate (patent no. ZL201721835868.9). Highest speed operation noise less than 58 decibels.

Three levels of damping system, 10 kinds of lifting and lowering speed curves, and 9 self-defined operating procedures that can be stored and recalled to meet various experimental needs.

LCD Display shows Speed, Timer, RCF, Rotors, Program(Memory), Acceleration& Deceleration information, and Error code details.

Easily exchangeable rotors

Double layers sealing ring ensures excellent sealing for the centrifuge lid and the instrument.

Equipped with over-speed, over-temperature protection, electronic safety door lock, and other multi-level safety features to ensure user and machine safety.

Emergency lid-lock release in case of power failure.

Gas hinge for lid drop protection.

Application:

Benchtop High Speed Centrifuges deliver efficient sample processing in clinical protocols, cell culture applications, precipitation purposes, microplate processing and separation of DNA, RNA, Viruses and proteins in biochemistry, medical treatment, food safety, and animal husbandry, etc.

WHY CHOOSE US

- **Direct from the Manufacturer:** Enjoy competitive pricing on all our products.
- **Certified Excellence:** Experience premium quality with our CE and ISO certified products.
- **Customization at Its Best:** Benefit from our robust OEM and ODM capabilities tailored to your specific needs.

- **Reliable Production and Delivery:** Trust us for guaranteed on-time production and delivery of your orders.
- **Comprehensive Support:** Rely on our comprehensive after-sales service, including complimentary product accessories.
- **Expertise You Can Trust:** We stand behind our 15 years of experience in R&D and production of medical centrifuge machines.



Our Factory Introduction

We have a standardized production workshop operated by a dedicated team that ensures quality in every laboratory centrifuge and lab equipment we produce. Our R&D division includes design engineers, technology specialists, qualified experts, and process control managers. Following a strict quality control system, our specialists oversee the entire production process, from design and R&D to testing, production, quality inspection, and packaging.

- Specialize in centrifuges.
- With decades of experience, we've exported to 80+ countries.
- Proven Reputation: SGS and Intertek inspected, underlining our reliability.
- Manufacturing Capabilities: 6 floors, 3000 sqm each, dedicated to manufacturing and quality control.




MKE Exhibition




Packaging & Delivery

MKE centrifuges are securely packaged in wooden cases or carton boxes, selected according to the weight and size of the goods. This ensures they are delivered in excellent condition to customers worldwide.



After-Sale WARRANTY



FAQ

Q: How long is the production lead time?

A: Within 7-15 workdays after receiving deposit.

Q: What's your warranty?

A: All MKE products have ONE year warranty, five-year motor warranty. We won't charge clients any money for repairing the machine during one-year warranty time, the freight is also on us.

Q: How about the sample of MKE Centrifuge?

A: We could send you the samples but the freight and the sample are charged.

Q: Which kinds of Certificate would you have?

A: ISO9001, ISO13485, CE

Q: Do you offer centrifuges with voltage and plug options suitable for my country/region?

A: Yes, we provide centrifuges with various voltage and plug options to meet different country/region requirements. Please let us know your specific needs, and we will ensure compatibility.

Q: Are there customized options available for specific applications?

A: Absolutely! We offer customization options to meet specific application needs. Let us know your requirements, and we will tailor the centrifuge accordingly.



Hunan Michael Laboratory Instrument Co.,Ltd.



+86-17775883371



Shirley@mke-lab.com



mkecentrifuge.com

MKE Building, Sanhe Zhihui Industrial Park, Guyuan Road No. 426, Changsha High-tech Development Zone,
Hunan, China