

Vertical Large Volume Blood Centrifuge For 75mm 100mm Collection Tubes With LCD Display

Basic Information

Place of Origin: ChinaBrand Name: MKE

Certification: CE, ISO, IUVModel Number: KC-600B



Product Specification

Product Type: Vertical Large Volume Blood Centrifuge

Max Capacity: 4×1000ml

• Power: 220V /110V 50Hz/60Hz 10A

Timing Range: 1~99h59min
Max Speed: 6000rmp
Display: LCD
Rcf: 4588 Xg
Warranty: 1 Year

• Highlight: 100mm Tube Blood Centrifuge,

LCD Display Blood Centrifuge, 75mm Tube Blood Centrifuge



More Images










Product Description

The KC-600B floor-standing centrifuge offers excellent performance with its ability to support large-capacity rotors, including 4x1000ml fixed rotors and swing-out options. Commonly used in blood banks, pharmaceutical production, biochemistry labs, and biological product industries, it is perfectly suited for tasks such as blood separation, protein precipitation, and cell collection. This centrifuge is CE-certified for safety and complies with ISO9001 and 13485 quality standards, ensuring reliable, high-quality, and safe operation.



Matched Rotors

No.	Item	Max. capacity	Max.speed	Max.RCF	Note
NO.1	Angle rotor	12x5/10/15ml	6000r/min	Max.RCF 4588xg 3354xg 3443xg	PP/PC tube
INO. I	Adapter	12x2ml	-60001/111111		PP/PC tube
NO.2	Swing	4x600ml	4000r/min	7/min 4588xg 7/min 3354xg 7/min 3443xg	Square cup with wind cover
	bucket				Vacuum blood
	Adapter	4x25x2/5ml			collection
					tubes
	Adapter	4x12x10/15ml	7		PP/PC tube
	Adapter	4x5x50ml	٦		PP/PC tube
	Adapter	4x4x100ml	7		PP/PC tube
	Swing	4×800ml		3443xg	Square cup
	bucket	4×0001111			with wind cover
N0.3	Adapter	4×30×2/5ml	4000r/min		Vacuum blood
110.5					collection
					tubes
	Adapter	4×16×10/15ml			PP/PC tube
	Adapter	4×6×50ml			PP/PC tube
	Adapter	4×4×100ml			PP/PC tube
NO.4	Swing	6×600ml	4000r/min	3400xg	Square cup
	bucket				with wind cover
	Adapter	6×25×2/5ml 6×12×10/15ml			Vacuum blood
					collection tubes
	Adapter				PP/PC tube
		6×5×50ml			PP/PC tube
	Adapter				
	Adapter	6×4×100ml			PP/PC tube
	Swing	4×1000ml			Rhombus cup
	bucket		_		with wind cover

NO.5	Adapter	4×42×2/5ml	4000r/min	3578xg	Vacuum blood collection tubes
	Adapter	4×18×10/15ml	1		PP/PC tube
	Adapter	4×7×50ml	1		PP/PC tube
	Adapter	4×4×100ml	1		PP/PC tube

Technical Specifications:

Max. RPM / Fixed angle	6000rpm/4588xg	Speed accuracy	±10r/min
Max Capacity(ml)	4*1000ml	Noise(dBA)	≦55dB(A)
Safety lid lock	Yes	ACC/DEC	10/10 steps
Max. acceleration time [s]	15 seconds	Max. braking time [s]	15 seconds
Display	LCD	Program memory	10
Automatic rotor identification	Yes	Lid drop protection	Yes
Motorized lid open & close	Yes	Imbalance cut-off	Yes
Parameters on display window	RPM (RCF), Time, ACC, DEC	Power requirement	1200W
Time control	1s-99minutes adjustable	Power supply	AC220V,50HZ,10A
Dimension(mm)	750x620x890mm(Lx WxH)	Weight without rotor (kg)	176KGS

Features of Floor Standing Blood Tube Centrifuge

User-Friendly Features:

Programmable Storage: Saves up to 30 programs, accessible with one touch, retaining settings even after shutdown. **Controlled Acceleration & Braking:** Offers 10 rates each to prevent secondary sedimentation for efficient centrifugation.

Automatic Lid Locking: Secures the lid during rotor operation for enhanced safety.

Easy Rotor Exchange: Special connector allows quick rotor changes for seamless loading and unloading.

Automatic Error Handling: On-screen error codes and alarms for rapid troubleshooting.

Low Noise Operation: Maintains noise below 55 dB even at top speeds. **Rotor Safety System:** Coded rotor identification prevents overspeeding.

Design Features:

Robust Build: Metal housing and stainless steel chamber, autoclave-able and resistant to disinfectants.

Observation Window: Transparent lid for speed and noise monitoring.

Precision Control: Microprocessor with frequency conversion A.C. motor for accurate operation.

Touchscreen Interface: TFT color display for speed, timer, RCF, rotor selection, program memory, acceleration, deceleration, and error codes.

Enhanced Sealing: Double-layer sealing rings for lid and body ensure long-lasting airtightness.

Safety Measures:

Certifications: Holds CE certification and adheres to safety standards EN61010-1 and EN 61010-2-020, and Electromagnetic Compatibility standard EN 61326-1.

Electrical Interlock: Safety electrical lid interlock prevents the door from opening while the rotor is running. The machine won't operate if the lid is open, displaying an error code.

Emergency Release: Emergency lid-lock release engages in case of a power failure, ensuring safety during unexpected power interruptions.

Gas Hinge: Gas hinge prevents lid drops, enhancing overall safety.

Comprehensive Protections: Safeguards against overspeed, overheating (motor and chamber), imbalance, etc., ensuring both user and machine safety.

WHY CHOOSE US

- Direct from the Manufacturer: Enjoy competitive pricing on all our products.
- Certified Excellence: Experience premium quality with our CE and ISO certified products.
- Customization at Its Best: Benefit from our robust OEM and ODM capabilities tailored to your specific needs.
- Reliable Production and Delivery: Trust us for guaranteed on-time production and delivery of your orders
- Comprehensive Support: Rely on our comprehensive after-sales service, including complimentary product accessories.
- Expertise You Can Trust: We stand behind our 15 years of experience in R&D and production of medical centrifuge machines.



Our Factory Introduction

We have a standardized production workshop operated by a dedicated team that ensures quality in every laboratory centrifuge and lab equipment we produce. Our R&D division includes design engineers, technology specialists, qualified experts, and process control managers. Following a strict quality control system, our specialists oversee the entire production process, from design and R&D to testing, production, quality inspection, and packaging.

- · Specialize in centrifuges.
- With decades of experience, we've exported to 80+ countries.
- Proven Reputation: SGS and Intertek inspected, underlining our reliablity.
- Manufacturing Capabilities: 6 floors, 3000 sqm each, dedicated to manufacturing and quality control.



MKE Exhibition



Packaging & Delivery

MKE centrifuges are securely packaged in wooden cases or carton boxes, selected according to the weight and size of the goods. This ensures they are delivered in excellent condition to customers worldwide.














After-Sale WARRANTY



FAQ

Q: How long is the production lead time?

A: Within 7-15 workdays after receiving deposit.

Q: What's your warranty?

A: All MKE products have ONE year warranty, five-year motor warranty. We won't charge clients any money for repairing the machine during one-year warranty time, the freight is also on us.

Q: How about the sample of MKE Centrifuge?

A: We could send you the samples but the freightand the sample are charged.

Q: Which kinds of Certificate would you have?

A: ISO9001, ISO13485, CE

Q: Do you offer centrifuges with voltage and plug options suitable for my country/region?

A: Yes, we provide centrifuges with various voltage and plug options to meet different country/region requirements. Please let us know your specific needs, and we will ensure compatibility.

Q: Are there customized options available for specific applications?

A: Absolutely! We offer customization options to meet specific application needs. Let us know your requirements, and we will tailor the centrifuge accordingly.



Hunan Michael Laboratory Instrument Co.,Ltd.









