12-Slide Clinical Centrifuge for Cell Smears with Swing Rotor and Visible Lid

Basic Information

Place of Origin: CHINABrand Name: MKE

Certification: CE,ISO13485,ISO9001,SFDA

Model Number: XJ-6 Minimum Order Quantity: 1

Price: Negotiable
Packaging Details: Wooden Box
Delivery Time: 7-15 work days

• Payment Terms: L/C,D/A,D/P,T/T,Western Union,MoneyGram

Supply Ability: 100 set/month



Product Specification

Product Type:
Benchtop Cell Cytospin Centrifuge

Applications: Ideal For The Centrifugation Of Smaples In

Clinical, Chemistry, Cytology, Research And

Industrial Laboratories.

MaxSpeed: 1200rpmMaxRCF: 241xg

MaxCapacity: 12 Cell Slide Clips
Noise Level: ≤55dB(A)

MatchedRotors: Swing RotorDisplay: LED

• Warranty: 1 Year Warranty For The Whole Machine, 3

Years Warranty For The Compressor And 5 Years Warranty For The Motor. Free Replacement Parts And Shipping Within

Warranty.

• Highlight: Swing Rotor Clinical Centrifuge,

Visible Lid Clinical Centrifuge,



More Images











Product Description

Description

Through gradient centrifugation, samples obtained via cervical brushing are purified by removing unwanted impurities. The XJ-6 Cell Smear Centrifuge organizes diagnostic components, including cells and bacteria, into an even, flat layer without any overlaps.

These layers adhere to glass slides, ready for microscopic or computer analysis. With a 12-sample capacity completed in just 5 minutes, the centrifuge is user-friendly, pollution-free, and guarantees uniform cell layering against a clear background.



Specifications:

| Speed range(rpm) | 0-1200rpm adjustable | Noise(dBA) | ≦55 dB(A) | | |
|---------------------|-------------------------|-------------------------------|-----------------------------|--|--|
| Control | Microprocessor control | Motor | Inverter motor direct drive | | |
| Max Capacity(ml) | 12 cell slide clips | Height of Cell Slide Clips | 50mm | | |
| Time Range | 0-99min | Dimension(mm) | 440*400*230mm | | |
| RCF range (xg) | IO-241 xa adilistable | Net weight(without rotor) | 22KG | | |
| Power supply | AC220V,50HZ,5A,60W | | | | |

Features

Featuring a metal housing, lid, and stainless steel chamber, the centrifuge is fully resistant to detergents, disinfectants, and compatible with autoclaving for easy maintenance.

Its precision operations are driven by a microprocessor system paired with a frequency conversion A.C. motor.

The LED display offers real-time feedback on parameters like speed, timer, RCF, rotor settings, and error codes, simplifying the user experience.

For a secure operation, the centrifuge incorporates a double-layer sealing ring, ensuring an airtight fit between components.

Enhanced bio-safety measures include a gas-tight rotor sterilizable at high temperatures and a UV sterilization function within the chamber, which automatically initiates during startup to ensure a sterile environment.

Matched Rotor

| No. | Rotor | Capacity | Max. speed | Max. RCF | Note |
|-----|-------|------------------------------------|------------|----------|--------------------------------|
| NO. | Swing | 12 cell slide clips 2ml/clip | 1200r/min | 124 I XO | Swing rotor of settlement type |

WHY CHOOSE US

- Direct from the Manufacturer: Enjoy competitive pricing on all our products.
- Certified Excellence: Experience premium quality with our CE and ISO certified products.
- · Customization at Its Best: Benefit from our robust OEM and ODM capabilities tailored to your specific

needs.

- Reliable Production and Delivery: Trust us for guaranteed on-time production and delivery of your orders.
- Comprehensive Support: Rely on our comprehensive after-sales service, including complimentary product accessories.
- Expertise You Can Trust: We stand behind our 15 years of experience in R&D and production of medical centrifuge machines.



Our Factory Introduction

We have a standardized production workshop operated by a dedicated team that ensures quality in every laboratory centrifuge and lab equipment we produce. Our R&D division includes design engineers, technology specialists, qualified experts, and process control managers. Following a strict quality control system, our specialists oversee the entire production process, from design and R&D to testing, production, quality inspection, and packaging.

- · Specialize in centrifuges.
- With decades of experience, we've exported to 80+ countries.
- Proven Reputation: SGS and Intertek inspected, underlining our reliablity.
- · Manufacturing Capabilities: 6 floors, 3000 sqm each, dedicated to manufacturing and quality control.




MKE Exhibition



Packaging & Delivery

MKE centrifuges are securely packaged in wooden cases or carton boxes, selected according to the weight and size of the goods. This ensures they are delivered in excellent condition to customers

worldwide.













After-Sale WARRANTY



FAQ

Q: How long is the production lead time?

A: Within 7-15 workdays after receiving deposit.

Q: What's your warranty?

A: All MKE products have ONE year warranty, five-year motor warranty. We won't charge clients any money for repairing the machine during one-year warranty time, the freight is also on us.

Q: How about the sample of MKE Centrifuge?

A: We could send you the samples but the freightand the sample are charged.

Q: Which kinds of Certificate would you have?

A: ISO9001, ISO13485, CE

Q: Do you offer centrifuges with voltage and plug options suitable for my country/region?

A: Yes, we provide centrifuges with various voltage and plug options to meet different country/region requirements. Please let us know your specific needs, and we will ensure compatibility.

Q: Are there customized options available for specific applications?

A: Absolutely! We offer customization options to meet specific application needs. Let us know your requirements, and we will tailor the centrifuge accordingly.



Centrifuge Hunan Michael Laboratory Instrument Co.,Ltd.





