

Tabletop High-Speed Refrigerated Laboratory Centrifuge for Laboratory Applications with Max Capacity 4x100ml and Multiple Rotor Options

Basic Information

Place of Origin: ChinaBrand Name: MKE

Certification: CE,ISO13485,ISO9001,IUV,SFDA

Model Number: TGL-16M

Minimum Order Quantity:

Price: Negotiable
Packaging Details: Wooden Box
Delivery Time: 7-15 work days

Payment Terms: L/C,D/A,D/P,T/T,Western Union,MoneyGram

• Supply Ability: 100 set/month



Product Specification

Product Type: Tabletop High-Speed Refrigerated

Laboratory Centrifuge

Applications: Hospitals, Veterinary Clinics, Food

Labs, Universities & Colleges, Pharmaceutical

Labs, Cell Culture Labs

Max.Speed: 16500rpm With Fixed Angle Rotor

12x1.5/2.2ml

• Max.RCF: 19480xg

Max.Capacity: 4*100ml Fixed Angle Rotor

Temperature Control

Range:

-20°C +40°C

Matched Rotors: Fixed Angle Rotors

• Display: LCD

Warranty:
 1 Year Warranty For The Whole Machine, 3

Years Warranty For The Compressor And 5 Years Warranty For The Motor. Free Replacement Parts And Shipping Within

Warranty.



More Images



Tabletop High-Speed Refrigerated Laboratory Centrifuge for Laboratory Applications with Max Capacity 4x100ml and Multiple Rotor Options

The TGL-16M refrigerated centrifuge reaches a maximum speed of 16,500 rpm, offering precise temperature control down to -20°C. It supports a variety of fixed-angle rotors and adapters for volumes ranging from 0.2 ml to 100 ml, ensuring versatile applications. Its compact design is ideal for space-limited laboratories.

Durable Design: Metal housing, stainless steel chamber, and autoclave-compatible construction for long-lasting use.

User-Friendly Interface: LCD touch screen for easy operation, pre-cooling functionality, and programmable memory for up to 30 custom settings.

Advanced Safety Features: CE-certified with automatic lid-locking, over-speed and imbalance protections, and emergency lid-release for enhanced security.

Noise Reduction: Operates quietly at less than 58 dB, even at maximum speed.



Technical Specifications:

Max. RPM	16,500rpm	Speed accuracy	±10r/min
Max.Capacity	4 x100ml	Temp. Range	-20 °C ~ 40°C
Max.RCF	19480xg	Temperature control accuracy	±1°C
Time control	1-99minutes 59s adjustable	ACC/DEC	10/10 steps
Noise level (dB)	≦58dB(A)	Program memory	30
Display	LCD	Weight without rotor (kg)	70 kg
Dimension (W x D x H, mm)	600x570x380mm(L xWxH)	Power supply	AC220V,50HZ,10A ; 880W

Matched Rotors (Customized rotors are available)

No.	Item	Max. capacity	Max.speed	Max.RCF	Note
NO.1	Angle rotor	12×1.5/2.2ml		19176xg	PP/PC tube
	Adapter	12×0.5ml	16500r/min		PP/PC tube
	Adapter	12×0.2ml			PP/PC tube
NO.2	Angle rotor	12×5ml	16500r/min	19480xg	PP/PC tube
	Adapter	12×1.5ml			PP/PC tube
NO.3	Angle rotor	12×10ml	12000r/min	13523xg	PP/PC tube
	Adapter	12×5ml			PP/PC tube
NO.4	Angle rotor 24×1.5/2.2ml				PP/PC tube
	Adapter	24×0.5ml	14000r/min	18407xg	PP/PC tube
	Adapter	24×0.2ml			PP/PC tube
N0.5	Angle rotor	36×1.5/2.2ml		15304xg	PP/PC tube
	Adapter	36×0.5ml	13000r/min		PP/PC tube
	Adapter	36×0.2ml			PP/PC tube
				1	

NO.6	Angle rotor	12×8×0.2ml	12000r/min	16985xg	PCR 8-tube strips
NO.7	Angle rotor	10×15ml		14069xg	PP/PC tube
	Adapter	10×10ml	11000r/min		PP/PC tube
	Adapter	10×5ml	1		PP/PC tube
NO.8	Angle rotor	6×50ml		13122xg	PP/PC tube
	Adapter	6×15ml	11000r/min		PP/PC tube
	Adapter	6×10ml	110001/111111		PP/PC tube
	Adapter	6×1.5ml	1		PP/PC tube
NO.9	Angle rotor	4×10/100ml		10979xg	PP/PC tube
	Adapter	4×50ml	7		PP/PC tube
	Adapter	4×15ml	10000r/min		PP/PC tube
	Adapter	4×10ml	- 100001/111111		PP/PC tube
	Adapter	4×5ml			PP/PC tube
	Adapter	4×1.5ml	7		PP/PC tube

If you require more rotor options, such as swing out rotors, we also have other refrigerated centrifuges available, <u>please contact us</u> to recommend the suitable model for you!

Other Refrigerated Centrifuge





WHY CHOOSE US

- Direct from the Manufacturer: Enjoy competitive pricing on all our products.
- Certified Excellence: Experience premium quality with our CE and ISO certified products.
- Customization at Its Best: Benefit from our robust OEM and ODM capabilities tailored to your specific needs
- Reliable Production and Delivery: Trust us for guaranteed on-time production and delivery of your orders
- **Comprehensive Support:** Rely on our comprehensive after-sales service, including complimentary product accessories.
- Expertise You Can Trust: We stand behind our 15 years of experience in R&D and production of medical centrifuge machines.



Our Factory Introduction

We have a standardized production workshop operated by a dedicated team that ensures quality in every laboratory centrifuge and lab equipment we produce. Our R&D division includes design engineers, technology specialists, qualified experts, and process control managers. Following a strict quality control system, our specialists oversee the entire production process, from design and R&D to testing, production, quality inspection, and packaging.

- · Specialize in centrifuges.
- With decades of experience, we've exported to 80+ countries.
- Proven Reputation: SGS and Intertek inspected, underlining our reliablity.
- Manufacturing Capabilities: 6 floors, 3000 sqm each, dedicated to manufacturing and quality control.



MKE Exhibition



Packaging & Delivery

MKE centrifuges are securely packaged in wooden cases or carton boxes, selected according to the weight and size of the goods. This ensures they are delivered in excellent condition to customers worldwide.



After-Sale WARRANTY



FAQ

Q: How long is the production lead time?

A: Within 7-15 workdays after receiving deposit.

Q: What's your warranty?

A: All MKE products have ONE year warranty, five-year motor warranty. We won't charge clients any money for repairing the machine during one-year warranty time, the freight is also on us.

Q: How about the sample of MKE Centrifuge?

A: We could send you the samples but the freightand the sample are charged.

Q: Which kinds of Certificate would you have?

A: ISO9001, ISO13485, CE

Q: Do you offer centrifuges with voltage and plug options suitable for my country/region?

A: Yes, we provide centrifuges with various voltage and plug options to meet different country/region requirements. Please let us know your specific needs, and we will ensure compatibility.

Q: Are there customized options available for specific applications?

A: Absolutely! We offer customization options to meet specific application needs. Let us know your requirements, and we will tailor the centrifuge accordingly.









MKE Building, Sanhe Zhihui Industrial Park, Guyuan Road No. 426, Changsha High-techDevelopment Zone, Hunan, China