

High Speed Mixed Low-Speed Laboratory Centrifuge High Performance with Multiple Rotor Options

Basic Information

Place of Origin: CHINABrand Name: MKE

Certification: CE,ISO13485,ISO9001,SFDA

Model Number: VL-200B

Minimum Order Quantity:

Price: Negotiable
Packaging Details: Wooden Box
Delivery Time: 7-15 work days

Payment Terms: L/C,D/A,D/P,T/T,Western Union,MoneyGram

Supply Ability: 100 set/month



Product Specification

Product Type: High Speed Mixed Low-Speed Laboratory

Centrifuge

• Applications: Hospitals, Veterinary Clinics, Food

Labs, Universities & Colleges, Pharmaceutical

Labs, Cell Culture Labs, Infant Stations

Max Speed: 21000rpmMax RCF: 31554xg

Max Capacity: 6*100ml Fixed Angle Rotor, 4*750ml Swing

Out Rotor

Matched Rotors: Fixed Angle Rotors, Swing Out Buckets

Rotor, Microplate Rotor

Display: LCD

• Warranty: 1 Year Warranty For The Whole Machine, 3

Years Warranty For The Compressor And 5 Years Warranty For The Motor. Free Replacement Parts And Shipping Within

Warranty.

Highlight: Low-Speed Laboratory Centrifuge,



More Images





Product Description

Technical Specifications:

Speed range(rpm)	0-20000rpm adjustable	Speed accuracy	±10rpm
Max Capacity(ml)	4*750ml	RCF range (xg)	0-28174xg
Display	LCD	Time range	1-99minutes adjustable
Noise Level(dBA)	≦58dB(A)	Acceleration /Deceleration rates	1 10
Dimension(mm)	560x440x360mm	IIVIOIOI	Frequency Converter motor
Net weight(without rotor)	45KGS	IPOWER SHIPPIN	AC220V,50HZ,10A,7 70W

The VL-200B centrifuge is designed for maximum efficiency, offering high-speed operation with precise control. Its compact footprint and quiet performance make it an excellent choice for diverse laboratory applications. **High Performance:** Speeds up to 21,000 rpm and RCF up to 31,554 x g, with tube capacities ranging from 0.2

Smart Functionality: Features "Mute" patent technology for low noise levels, automatic rotor identification, and customizable acceleration/braking rates.

Easy to Use: Quick rotor exchange, intuitive LCD display, and long-term memory for stored parameters even after power-off.

Enhanced Safety: Built with safety-first features, including IEC 61010 compliance, emergency lid release, and anti-vibration damping for smooth operation.

Matched Rotors(Customized rotors are available)

No.	Rotor	Capacity	Max. speed	Max.RCF	Note
NO.1	Angle rotor	12×1.5-2.2ml		28174xg	PP/PC tube
	Adapter	12×0.5ml	20000r/mi		PP/PC tube
	Adapter	12×0.2ml	n		PP/PC tube
NO.2	Angle rotor	12×5ml		20680xg	PP/PC tube
	Adapter	12×1.5ml	17000r/mi n		PP/PC tube
NO.3	Angle rotor	24×1.5-2.2ml		24041xg	PP/PC tube
	Adapter	24×0.5ml	16000r/mi		PP/PC tube
	Adapter	24×0.2ml			PP/PC tube
	Angle rotor	10×15ml		26161xg	PP/PC tube
NO.4	Adapter	10×10ml	15000-/		PP/PC tube
	Adapter	10×5ml	n 15000r/mi		PP/PC tube
	Adapter	10×1.5ml			PP/PC tube
NO.5	Angle rotor	48×1.5-2.2ml	15000r/mi	23394xg	PP/PC tube
	Adapter	48×0.5ml	n		PP/PC tube
	Adapter	48×0.2ml			
NO.6	Angle rotor	12×10ml	15000r/mi	21130xg	PP/PC tube
	Adapter	12×5ml/1.5ml	n		PP/PC tube
NO.7	Angle rotor	6×50ml		21255xg	PP/PC tube
	Adapter	6×15ml	14000r/mi		PP/PC tube
	Adapter	6×10ml	n		PP/PC tube
	Adapter	6×1.5ml			PP/PC tube
	Angle rotor	6×100ml			PP/PC tube

NO.8	Adapter	6×50ml]	PP/PC tube
	Adapter	6×15ml	1	PP/PC tube
	Adapter	6×10ml	11000r/mi n 14610xg	PP/PC tube
	Adapter	6×5ml		PP/PC tube
	Adapter	6×1.5ml		PP/PC tube
NO.9	Angle rotor	8×50ml		PP/PC tube
	Adapter	8×15ml	12000r/mi	PP/PC tube
	Adapter	8×10ml	n 17226xg	PP/PC tube
	Adapter	8×1.5ml	1	PP/PC tube
	Swing bucket	4×250ml		Round cup
	Adapter	4×9×2-5ml		Vacuum blood collection tube
NO.10	Adapter	4×5×10-15ml	4000r/min 3049xg	PP/PC tube
	Adapter	4×50ml		PP/PC tube
	Adapter	4×100ml		PP/PC tube
	Adapter	4×9×1.5ml		PP/PC tube
	Swing bucket	4×400ml		Square cup
	Adapter	4×16×2-5ml		Vacuum blood collection tube
NO.11	Adapter	4×9×10-15ml	4000r/min 3049xg	PP/PC tube
	Adapter	4×4×50ml		PP/PC tube
	Adapter	4×100ml		PP/PC tube
	Adapter	4×15×1.5ml		PP/PC tube
	Swing bucket	4×500ml		Round cup
NO.12	Adapter	4×17×2-5ml	4000r/min 3354xg	Vacuum blood collection tube
110.12	Adapter	4×8×10-15ml		PP/PC tube
	Adapter	4×3×50ml		PP/PC tube
	Adapter	4×100ml		PP/PC tube
NO.13	Swing bucket	4×600ml		Square cup
	Adapter	4×25×2-5ml		Vacuum blood collection tube
	Adapter	4×12×10-15ml	4000r/min 3354xg	PP/PC tube
	Adapter	4×5×50ml		PP/PC tube
	Adapter	4×4×100ml	1	PP/PC tube
			-	

NO.14	Swing bucket	4×750ml	4000r/min		Round cup
	Adapter	4×26×2-5ml			Vacuum blood collection tube
	Adapter	4×13×10-15ml			PP/PC tube
	Adapter	4×5×50ml			PP/PC tube
	Adapter	4×3×100ml			PP/PC tube
NO.15	Microplate rotor	2×2×96 well			Square cup
	Adapter		4200r/min		DD/DO L I
		2×32×1.5ml			PP/PC tube

WHY CHOOSE US

- Direct from the Manufacturer: Enjoy competitive pricing on all our products.
- Certified Excellence: Experience premium quality with our CE and ISO certified products.
- Customization at Its Best: Benefit from our robust OEM and ODM capabilities tailored to your specific needs.
- Reliable Production and Delivery: Trust us for guaranteed on-time production and delivery of your orders.
- Comprehensive Support: Rely on our comprehensive after-sales service, including complimentary product accessories.
- Expertise You Can Trust: We stand behind our 15 years of experience in R&D and production of medical centrifuge machines.



Our Factory Introduction

We have a standardized production workshop operated by a dedicated team that ensures quality in every laboratory centrifuge and lab equipment we produce. Our R&D division includes design engineers, technology specialists, qualified experts, and process control managers. Following a strict quality control system, our specialists oversee the entire production process, from design and R&D to testing, production, quality inspection, and packaging.

· Specialize in centrifuges.

- With decades of experience, we've exported to 80+ countries.
- Proven Reputation: SGS and Intertek inspected, underlining our reliablity.
- Manufacturing Capabilities: 6 floors, 3000 sqm each, dedicated to manufacturing and quality control.




MKE Exhibition



Packaging & Delivery

MKE centrifuges are securely packaged in wooden cases or carton boxes, selected according to the weight and size of the goods. This ensures they are delivered in excellent condition to customers worldwide.



After-Sale WARRANTY



FAQ

Q: How long is the production lead time?

A: Within 7-15 workdays after receiving deposit.

Q: What's your warranty?

A: All MKE products have ONE year warranty, five-year motor warranty. We won't charge clients any money for repairing the machine during one-year warranty time, the freight is also on us.

Q: How about the sample of MKE Centrifuge?

A: We could send you the samples but the freightand the sample are charged.

Q: Which kinds of Certificate would you have?

A: ISO9001, ISO13485, CE

Q: Do you offer centrifuges with voltage and plug options suitable for my country/region?

A: Yes, we provide centrifuges with various voltage and plug options to meet different country/region requirements. Please let us know your specific needs, and we will ensure compatibility.

Q: Are there customized options available for specific applications?

A: Absolutely! We offer customization options to meet specific application needs. Let us know your requirements, and we will tailor the centrifuge accordingly.









MKE Building, Sanhe Zhihui Industrial Park, Guyuan Road No. 426, Changsha High-techDevelopment Zone, Hunan, China