

Benchtop Hematocrit Blood Centrifuge Machine 24 Pieces Capillary For Laboratory And Hospital

Our Product Introduction

for more products please visit us on mkecentrifuge.com

Basic Information

- Place of Origin: CHINA
- Brand Name: MKE
- Certification: CE,ISO13485,ISO9001,SFDA
- Model Number: TG12-W
- Minimum Order Quantity: 1
- Price: Negotiable
- Packaging Details: Wooden Box
- Delivery Time: 7-15 work days
- Payment Terms: L/C,D/A,D/P,T/T,Western Union,MoneyGram
- Supply Ability: 100 set/month



Product Specification

- Applications: Hospitals,Veterinary Clinics,Food Labs,Universities & Colleges,Pharmaceutical Labs,Cell Culture Labs,Infant Stations
- Max.Speed: 12000rpm
- Max.RCF: 14170×g
- Max.Capacity: 24×(1.5mm×75 Mm (glass Capillary))
- Matched Rotors: Capillary Rotor
- Display: LED Display
- Warranty: 1 Year,3 Years,5 Years,Free,Free Within Warranty
- Highlight: **Laboratory Hematocrit Blood Centrifuge Machine**
, Hospital Hematocrit Blood Centrifuge Machine
, 24 Pieces Hematocrit Blood Centrifuge Machine



More Images



Product Description

Features:

- ◆ Maintenance-free DC variable frequency motor drive, stable and quiet operation .
- ◆ Capillary blood centrifuge is mainly used to determine the hematocrit value in blood and separate trace solutions of trace blood.
- ◆ Small size, suitable for vehicle installation, the base has a suction cup to facilitate mobile operation and save laboratory space.
- ◆ High-definition LED digital display, easy to operate, clearer and more intuitive display.
- ◆ Adopt the most advanced air cooling system , precise heat dissipation, stable temperature of centrifuge chamber for a long time, and longer service life of the centrifuge.
- ◆ Use microcomputer processor to accurately control the speed and time, digital display, 10 speed levels to choose from , effectively preventing the sample from decelerating and causing secondary re-spinning due to emergency stop.
- ◆ Automatically calculate the centrifugal force RCF value, and the speed and centrifugal force can be switched with one button.
- ◆ Safety devices and fault self-checking function : door lock (optional) , automatic protection against imbalance and overspeed .
- ◆ Special shock absorption system , efficient filtering of vibrations caused by imbalance, achieving the best centrifugal effect.

Technical Parameters

model	TG12 - W		
Maximum speed	12000rpm	Total Power	250W
Maximum relative centrifugal force	14170×g	Machine noise	≤ 65dB(A)
Maximum capacity	24×(1.5mm×75 mm (glass capillary))	Centrifugal chamber diameter	Φ200mm
Timing range	1min 99min	Dimensions	315×270×240 (mm)
Speed accuracy	±20r/min	Outer packaging size	380×350×300 (mm)
Support power supply	AC 220±22V 50/60Hz 10A	net weight	11kg

Rotor parameters

Rotor name	Rotor No.	Serial number	capacity	Maximum speed (r/min)	Maximum relative centrifugal force (×g)
Capillary rotor	1	1	24 holes (1.5mm×75 mm (glass capillary))	12000rpm	14170×g

WHY CHOOSE US

- **Direct from the Manufacturer:** Enjoy competitive pricing on all our products.
- **Certified Excellence:** Experience premium quality with our CE and ISO certified products.
- **Customization at Its Best:** Benefit from our robust OEM and ODM capabilities tailored to your specific needs.
- **Reliable Production and Delivery:** Trust us for guaranteed on-time production and delivery of your orders.
- **Comprehensive Support:** Rely on our comprehensive after-sales service, including complimentary product accessories.
- **Expertise You Can Trust:** We stand behind our 15 years of experience in R&D and production of medical centrifuge machines.



Our Factory Introduction

We have a standardized production workshop operated by a dedicated team that ensures quality in every laboratory centrifuge and lab equipment we produce. Our R&D division includes design engineers, technology specialists, qualified experts, and process control managers. Following a strict quality control system, our specialists oversee the entire production process, from design and R&D to testing, production, quality inspection, and packaging.

- Specialize in centrifuges.
- With decades of experience, we've exported to 80+ countries.
- Proven Reputation: SGS and Intertek inspected, underlining our reliability.
- Manufacturing Capabilities: 6 floors, 3000 sqm each, dedicated to manufacturing and quality control.



MKE Exhibition




Packaging & Delivery

MKE centrifuges are securely packaged in wooden cases or carton boxes, selected according to the weight and size of the goods. This ensures they are delivered in excellent condition to customers worldwide.



After-Sale WARRANTY



FAQ

Q: How long is the production lead time?

A: Within 7-15 workdays after receiving deposit.

Q: What's your warranty?

A: All MKE products have ONE year warranty, five-year motor warranty. We won't charge clients any money for repairing the machine during one-year warranty time, the freight is also on us.

Q: How about the sample of MKE Centrifuge?

A: We could send you the samples but the freight and the sample are charged.

Q: Which kinds of Certificate would you have?

A: ISO9001, ISO13485, CE

Q: Do you offer centrifuges with voltage and plug options suitable for my country/region?

A: Yes, we provide centrifuges with various voltage and plug options to meet different country/region requirements. Please let us know your specific needs, and we will ensure compatibility.

Q: Are there customized options available for specific applications?

A: Absolutely! We offer customization options to meet specific application needs. Let us know your requirements, and we will tailor the centrifuge accordingly.



Professional
Centrifuge
Manufacturer

Hunan Michael Laboratory Instrument Co.,Ltd.



+86-17775883371



Shirley@mke-lab.com



mkecentrifuge.com

MKE Building, Sanhe Zhihui Industrial Park, Guyuan Road No. 426, Changsha High-tech Development Zone,
Hunan, China