

China

# 100-20000 rpm High-Speed Refrigerated Centrifuge Temperature Controlled -20 °C to +40 °C

# Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:

Our Product Introduction

- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:





### **Product Specification**

Product Type:	100-21000 Rpm High-Speed Refrigerated Centrifuge
Applications:	Hospitals,Veterinary Clinics,Food Labs,Universities & Colleges,Pharmaceutical Labs,Cell Culture Labs
<ul> <li>Max Speed:</li> </ul>	20000rpm
• Max RCF:	28174xg
<ul> <li>Max Capacity:</li> </ul>	4*750ml
<ul> <li>Temperature Control Range:</li> </ul>	-20°C +40°C
<ul> <li>Matched Rotors:</li> </ul>	Fixed Angle Rotors, swing Out Rotors
<ul> <li>Display:</li> </ul>	LCD
• Warranty:	1 Year Warranty For The Whole Machine, 3 Years Warranty For The Compressor And 5 Years Warranty For The Motor. Free Replacement Parts And Shipping Within Warranty.
Liabliabt.	Tomporatura Controllad Defrigarated Contrifuga



### More Images





The VL-200R centrifuge is ideal for labs requiring precise separation of samples under controlled conditions, offering unparalleled performance and safety.

### **Technical Specifications:**

<u> </u>				
Speed range(rpm)	0-20000rpm	u me rande	1-99minutes 59s	
	adjustable		adjustable	
Max Capacity(ml)	4*750ml	Speed accuracy	±10r/min	
	0-28174xg	ACC/DEC	1 10 rotos	
RCF range (xg)	adjustable	ACC/DEC	1-10 rates	
Temperature	-20°C +40°C	Temperature control	±1°C	
control range	20 C ++0 C	accuracy		
Noise(dBA)	≦58dB(A)	Net weight(without	110KGS	
		rotor)	TUNCIO	
Pofrigorant	B404A	Power europhy	AC220V,50HZ,10A,	
Refrigerant		Power supply	1300W	
Dimension(mm)	680x580x420mm(L	xWxH)		

### Key Features

### Efficient Design:

Durable metal construction with a stainless steel chamber resistant to disinfectants. Observation window for monitoring speed and noise levels.

Intuitive LCD interface displaying critical parameters like speed, RCF, and error codes.

### Enhanced Usability:

CFC-free cooling with temperatures down to -20°C for sensitive samples.

Stores up to 30 customizable programs, retaining settings even after power-off.

Provides 10 customizable acceleration and braking ramps for better sedimentation results.

Easily replaceable rotors and automatic troubleshooting alerts simplify use.

### Superior Safety:

Adheres to IEC 61010 standards for reliability.

Lid interlock and emergency release functions enhance operational safety.

Comprehensive protection against overspeed, overheating, and imbalance ensures peace of mind.



#### Matched Rotors (Customized rotors are available)

	Angle rotor	24x1.5/2.2ml			PP/PC tube
Adapte		12x1.5ml	17000r/min	20680xg	PP/PC tube
NO.2 Angle rotor	12x5ml			PP/PC tube	
	Adapter	12x0.2ml			PP/PC tube
NO.1	Adapter	12x0.5ml	20000r/min	28174xg	PP/PC tube
	Angle rotor	12x1.5/2.2ml			PP/PC tube
No.	Item	Max. capacity	Max.speed	Max.RCF	Note

NO.3	Adapter	24x0.5ml	16000r/min	24041xg	PP/PC tube
	Adapter	24x0.2ml			PP/PC tube
	Angle rotor	10x15ml			PP/PC tube
	Adapter	10x10ml			PP/PC tube
NO.4	Adapter	10x5ml	15000r/min	26161xg	PP/PC tube
	Adapter	10x1.5ml			PP/PC tube
	Angle rotor	48×1.5/2.2ml			PP/PC tube
N0.5	Adapter	48x0.5ml	15000r/min	23394xg	PP/PC tube
	Adapter	48x0.2ml			PP/PC tube
	Angle rotor	12×10ml			PP/PC tube
NO.6	Adapter	12×5ml	15000r/min	21130xg	PP/PC tube
	Adapter	12x1.5ml			PP/PC tube
	Angle rotor	6×50ml			PP/PC tube
	Adapter	6×15ml			PP/PC tube
NO.7	Adapter	6×10ml	14000r/min	21255xg	PP/PC tube
	Adapter	6×1.5ml			PP/PC tube
	Angle rotor	6×100ml			PP/PC tube
	Adapter	6×50ml			PP/PC tube
NO.8	Adapter	6×15ml	11000r/min		PP/PC tube
	Adapter	6×10ml		14610xg	PP/PC tube
	Adapter	6×5ml			PP/PC tube
	Adapter	6×1.5ml			PP/PC tube
	Angle rotor	8×50ml			PP/PC tube
NO.9	Adapter	8×15ml	10000 (11)	17000	PP/PC tube
	Adapter	8×10ml	12000r/min	17226xg	PP/PC tube
	Adapter	8×1.5ml			PP/PC tube
	Swing bucket	4×250ml		İ	Round cup
	Adapter	4×9x5/2ml			PP/PC tube
NO 10	Adapter	4×5x15/10ml			PP/PC tube
NO.10	Adapter	4×50ml	4000r/min	3049xg	PP/PC tube
	Adapter	4×100ml			PP/PC tube
	Adapter	4×9x1.5ml	·		PP/PC tube
	Swing bucket	4×400ml			Square cup
	Adapter	4×16x5/2ml			PP/PC tube
	Adapter	4×9x15/10ml		3049xg	PP/PC tube
NO.11	Adapter	4×4x50ml	4000r/min		PP/PC tube
	Adapter	4×100ml			PP/PC tube
	Adapter	4×15x1.5ml			PP/PC tube
					1

		-	-	
Adapter	4×17x5/2ml			PP/PC tube
Adapter	4×8x15/10ml	4000r/min	3354xg	PP/PC tube
Adapter	4×3x50ml			PP/PC tube
Adapter	4×100ml			PP/PC tube
Swing bucket	4×600ml	ĺ	3354xg	Square cup
Adapter	4×25x5/2ml	4000r/min		PP/PC tube
				PP/PC tube
Adaptor	4×5x50ml			PP/PC tube
	4×4x100ml			PP/PC tube
Swing bucket	4×750ml			Round cup
Adapter	4×26x5/2ml	4000r/min	3443xg	PP/PC tube
, and bio.				PP/PC tube
Adapter	4×5x50ml			PP/PC tube
Adapter	4×3x100ml			PP/PC tube
/licroplate otor	2×2×96 hole	4200r/min	2860xg	Square cup
Adapter	2×32×1.5ml			PP/PC tube
	Adapter Adapter Adapter Swing bucket Adapter Adapter Adapter Adapter Adapter Adapter Adapter Adapter Adapter Adapter Adapter	Adapter4×8x15/10mlAdapter4×8x15/10mlAdapter4×3x50mlAdapter4×100mlSwing bucket4×600mlAdapter4×25x5/2mlAdapter4×12x15/10Adapter4×12x15/10Adapter4×5x50mlAdapter4×5x50mlAdapter4×26x5/2mlAdapter4×26x5/2mlAdapter4×26x5/2mlAdapter4×13x15/10Adapter4×3x100mlAdapter4×3x100mlAdapter4×3x100ml	Adapter4×8x15/10ml 4000r/minAdapter4×3x50mlAdapter4×100mlAdapter4×100mlAdapter4×25x5/2mlAdapter4×12x15/10 mlAdapter4×5x50mlAdapter4×4x100mlAdapter4×26x5/2mlAdapter4×26x5/2mlAdapter4×26x5/2mlAdapter4×26x5/2mlAdapter4×26x5/2mlAdapter4×3x100mlAdapter4×3x100mlAdapter4×3x100ml	Adapter4×8x15/10ml 4×8x50ml4000r/min3354xgAdapter4×3x50ml4000r/min3354xgAdapter4×100ml4×100ml4Adapter4×25x5/2ml4000r/min3354xgAdapter4×25x5/2ml4000r/min3354xgAdapter4×12x15/10 ml4000r/min3354xgAdapter4×5x50ml4000r/min344xgAdapter4×26x5/2ml4000r/min3443xgAdapter4×5x50ml4000r/min3443xgAdapter4×5x50ml4000r/min3443xgAdapter4×3x100ml4200r/min3443xg

### WHY CHOOSE US

- Direct from the Manufacturer: Enjoy competitive pricing on all our products.
- Certified Excellence: Experience premium quality with our CE and ISO certified products.
- Customization at Its Best: Benefit from our robust OEM and ODM capabilities tailored to your specific needs.
- Reliable Production and Delivery: Trust us for guaranteed on-time production and delivery of your orders.
- **Comprehensive Support:** Rely on our comprehensive after-sales service, including complimentary product accessories.
- Expertise You Can Trust: We stand behind our 15 years of experience in R&D and production of medical centrifuge machines.



# **Our Factory Introduction**

We have a standardized production workshop operated by a dedicated team that ensures quality in every laboratory centrifuge and lab equipment we produce. Our R&D division includes design engineers, technology specialists, qualified experts, and process control managers. Following a strict quality control

system, our specialists oversee the entire production process, from design and R&D to testing, production, quality inspection, and packaging.

- Specialize in centrifuges.
- With decades of experience, we've exported to 80+ countries.
- Proven Reputation: SGS and Intertek inspected, underlining our reliablity.
- Manufacturing Capabilities: 6 floors, 3000 sqm each, dedicated to manufacturing and quality control.



### **MKE Exhibition**



# Packaging & Delivery

MKE centrifuges are securely packaged in wooden cases or carton boxes, selected according to the weight and size of the goods. This ensures they are delivered in excellent condition to customers worldwide.



After-Sale WARRANTY



# <u>FAQ</u>

### Q: How long is the production lead time?

A: Within 7-15 workdays after receiving deposit.

### Q: What's your warranty?

A: All MKE products have ONE year warranty, five-year motor warranty. We won't charge clients any money for repairing the machine during one-year warranty time, the freight is also on us.

#### Q: How about the sample of MKE Centrifuge?

A: We could send you the samples but the freightand the sample are charged.

#### Q: Which kinds of Certificate would you have?

A: ISO9001, ISO13485, CE

#### Q: Do you offer centrifuges with voltage and plug options suitable for my country/region?

A: Yes, we provide centrifuges with various voltage and plug options to meet different country/region requirements. Please let us know your specific needs, and we will ensure compatibility.

#### Q: Are there customized options available for specific applications?

A: Absolutely! We offer customization options to meet specific application needs. Let us know your requirements, and we will tailor the centrifuge accordingly.

MKE	Professional Centrifuge Manufacturer	Michael Laboratory Ir	nstrument Co.,Ltd.
+86-1	7775883371	Shirley@mke-lab.com	e mkecentrifuge.com
MKE Building, Sanhe .	Zhihui Industrial Park, G	Guyuan Road No. 426, Chang Hunan, China	gsha High-techDevelopment Zone,